




CHAINS, BELTS & COMPONENTS



输送配件：


链条导轨，输送导轨，张紧器

CONVEYOR COMPONENTS:

CHAIN GUIDES


CONVEYOR TRACKS

CHAIN TENSIONERS




直行导轨 *Straight Tracks*

直行导轨 适用于 880 BEVEL, 881 BEVEL
 STRAIGHT TRACK FOR SERIES 880 BEVEL, 881 BEVEL



链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	导轨宽度 Width w (mm)
K325	82.5	100
K450	114.3	130


直行导轨 适用于 880 TAB, 881 TAB
 STRAIGHT TRACK FOR SERIES 880 TAB, 881 TAB




链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	导轨宽度 Width w1 (mm)
K325	82.5	100
K450	114.3	130

直行导轨 *Straight Tracks*


直行导轨 适用于 882 TAB
 STRAIGHT TRACK FOR SERIES 882 TAB




链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	导轨宽度 Width w1 (mm)
882TAB - K450	114.3	130
882TAB - K750	190.5	210
882TAB - K1000	254	270
882TAB - K1200	304.8	320



直行导轨 适用于 1873, 1874
 STRAIGHT TRACK FOR SERIES 1873, 1874






链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	导轨宽度 Width w1 (mm)
K325	82.5	100
K450	114.3	125
K600	152.4	160
K750	190.5	200
K1000	254	260
K1200	304.8	310





STRAIGHT TRACKS

转弯导轨 Corner Tracks




转弯导轨 适用于 880 BEVEL, 881 BEVEL
CORNER TRACK FOR SERIES 880 BEVEL, 881 BEVEL





链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	导轨宽度 Width w1 (mm)	切线长 L (mm)	间距 Pitch p (mm)
K325	82.5	500	100	50	90
K450	114.3	610	130	50	120
K750	190.5	610	210	50	195



转弯导轨 适用于 878 TAB, 880BS, 880 TAB, 881 TAB
CORNER TRACK FOR SERIES 878TAB, 880BS, 880TAB, 881TAB






链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	导轨宽度 Width w1 (mm)	切线长 L (mm)	间距 Pitch p (mm)
K325	82.5	500	100	50	90
K450	114.3	610	130	50	120
K750	190.5	610	210	50	195





转弯导轨 Corner Tracks

磁性转弯导轨 适用于 881M (磁性)

MAGNETIC CORNER TRACK FOR SERIES 881M






链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	导轨宽度 Width w1 (mm)	切线长 L (mm)	间距 Pitch p (mm)
881M - K325	82.5	500	100	125	90
881M - K450	114.3	500	129	125	120
881M - K450	114.3	610	129	125	120
881M - K750	190.5	610	214	125	196





转弯导轨 适用于 882 TAB

CORNER TRACK FOR SERIES 882 TAB






链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	导轨宽度 Width w1 (mm)	间距 Pitch p (mm)
882TAB - K450	114.3	610	130	120
882TAB - K750	190.5	610	210	195
882TAB - K1000	254	610	270	260
882TAB - K1200	304.8	610	320	310





转弯导轨 Corner Tracks

转弯导轨 适用于 882 BEVEL

CORNER TRACK FOR SERIES 882 BEVEL






链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	间距 Pitch p (mm)
882 - K450	114.3	610	120
882 - K750	190.5	610	195
882 - K1000	254	610	260





转弯导轨 适用于 1873, 1874

CORNER TRACK FOR SERIES 1873, 1874





链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	导轨宽度 Width w1 (mm)	间距 Pitch p (mm)
K325	82.5	500	100	90
K450	114.3	500	125	120
K600	152.4	610	160	160
K750	190.5	610	200	195
K1000	254	610	260	260
K1200	304.8	610	310	310





转弯导轨 Corner Tracks



转弯导轨 适用于 1050, 1060, 2260, 783, 782
CORNER TRACK FOR SERIES 1050, 1060, 2260, 783, 782



链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	弯轨宽度 Radius W1 (mm)	弯轨宽度 Pitch P (mm)	切线长 L (mm)
1050	83.8	500	100	85	0
	83.8	500	100	85	100
1060	83.8	500	111	85	100
2260	83.8	500	111	85	100
	83.8	500	100	85	100
	83.8	500	100	85	0
	114.3	500	129	120	125
	114.3	610	129	120	125
783	83.8	500	100	85	100
782	83.8	500	100	85	100

可选角度(a): 15°, 30°, 45°, 60°, 75°, 90°

转弯导轨 适用于 1700TAB, 1702TAB
CORNER TRACK FOR SERIES 1700TAB, 1702TAB



链板型号 Used for Chain Type	链板宽度 Chain Width (mm)	转弯半径 Radius r1 (mm)	切线长 L (mm)
1700TAB	55	250	50
1702TAB	53	250	50

可选角度(a): 15°, 30°, 45°, 60°, 75°, 90°



DISTRIBUTOR

地址: 江苏省常州市龙城大道2188号新闸科技工业园2号楼
 Add: Building No.2, Xinzha Hi-tech Industrial Park
 No.2188, Longcheng Ave., Changzhou, Jiangsu,
 China 213012
 电话: (Tel) +86-519-88166775, 86617695
 E-Mail: sales@net-conveyor.com
 Web: www.net-conveyor.com

